



## W2M API - Package Product

Package Product API

Version: 6.40.0

Url:

1. PRE: <https://pre-api.w2m.com>

2. PRO: <https://api.w2m.com>

BasePath: /agency/packages

Copyright W2M

### Access authorization

OAuth 2.0

grant-type: password

the token must be ordered for each agency and must be used as long as it does not expire (allowing a margin)

### Changelog

Icarion branded products can have associated extensions (mandatory or optional), for which the following attributes have been added:

1. [extensions](#)
2. [lockedQuote](#) - if true then availability is locked
3. [mandatoryExtension](#) - if true then extension is mandatory for availability

### Methods

[ [Jump to Models](#) ]

#### Table of Contents

##### [PackagesProduct](#)

- [POST /api/v1/product/ttoo](#)

##### [ProductDestinations](#)

- [GET /api/v1/product/destinations](#)

## PackagesProduct

**POST /api/v1/product/ttoo**

Up

(getProductsForTT00)

Get products for TT00

#### Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

#### Request body

body

[com.w2m.ttoo.product.rest.model.request.ProductTT00RequestDTO](#)

(required)

## Return type

array[[com.w2m.ttoo.product.rest.model.PackagePublicDTO](#)]

## Example data

Content-Type: application/json

```
[ {
  "allZones" : [ null, null ],
  "urlName" : "urlName",
  "distributionType" : "ROOM",
  "release" : 0,
  "relatedProducts" : [ {
    "code" : "code",
    "name" : "name",
    "text" : "text",
    "type" : "RELATED",
    "url" : "url"
  }, {
    "code" : "code",
    "name" : "name",
    "text" : "text",
    "type" : "RELATED",
    "url" : "url"
  } ],
  "destination" : "destination",
  "distributionsAllowed" : [ {
    "childrenAgeTo" : 1,
    "children" : 1,
    "adults" : 7,
    "childrenAgeFrom" : 1
  }, {
    "childrenAgeTo" : 1,
    "children" : 1,
    "adults" : 7,
    "childrenAgeFrom" : 1
  } ],
  "includedServices" : [ {
    "name" : "name"
  }, {
    "name" : "name"
  } ],
  "minPaxBooking" : 6,
  "description" : "description",
  "language" : "es_ES",
  "calendarTags" : [ {
    "code" : "Offer",
    "color" : "#34sdfd",
    "description" : "Advance sale offer",
    "type" : "LEGEND",
    "priority" : 5
  }, {
    "code" : "Offer",
    "color" : "#34sdfd",
    "description" : "Advance sale offer",
    "type" : "LEGEND",
    "priority" : 5
  } ],
  "content" : {
    "images" : [ {
      "image" : "image",
      "type" : "MAIN_IMAGE"
    }, {
```

```
"image" : "image",
"type" : "MAIN_IMAGE"
} ],
"lodgings" : [ {
"city" : "city",
"location" : "location",
"details" : [ null, null ],
"category" : "category"
}, {
"city" : "city",
"location" : "location",
"details" : [ null, null ],
"category" : "category"
} ],
"notes" : [ {
"text" : "text",
"type" : "type"
}, {
"text" : "text",
"type" : "type"
} ],
"cities" : [ {
"code" : "code",
"night" : true
}, {
"code" : "code",
"night" : true
} ],
"references" : [ {
"code" : "code",
"name" : "name",
"description" : "description",
"extendedDescription" : "extendedDescription"
}, {
"code" : "code",
"name" : "name",
"description" : "description",
"extendedDescription" : "extendedDescription"
} ],
"icon" : "icon",
"itineraries" : [ {
"image" : "image",
"additionalInfo" : "additionalInfo",
"description" : "description",
"title" : "title",
"rangeLabel" : "rangeLabel",
"day" : 4
}, {
"image" : "image",
"additionalInfo" : "additionalInfo",
"description" : "description",
"title" : "title",
"rangeLabel" : "rangeLabel",
"day" : 4
} ],
"description" : "description",
"services" : [ {
"name" : "name",
"category" : "MAIN",
"type" : "INCLUDED"
}, {
"name" : "name",
"category" : "MAIN",
"type" : "INCLUDED"
} ]
} ]
```

```
},
"zone" : {
  "code" : "code",
  "parentCode" : "parentCode",
  "name" : "name"
},
"origins" : [ {
  "origin" : {
    "code" : "MAD",
    "locationUseType" : "DEPARTURE",
    "description" : "description",
    "locationType" : "AIRPORT",
    "transportTypes" : "FLIGHT"
  },
  "dates" : [ "", "" ],
  "type" : "MAIN"
}, {
  "origin" : {
    "code" : "MAD",
    "locationUseType" : "DEPARTURE",
    "description" : "description",
    "locationType" : "AIRPORT",
    "transportTypes" : "FLIGHT"
  },
  "dates" : [ "", "" ],
  "type" : "MAIN"
} ],
"end" : "end",
"lockedQuote" : false,
"transportTypes" : [ "FLIGHT", "FLIGHT" ],
"additionalInfos" : [ {
  "type" : "type"
}, {
  "type" : "type"
} ],
"product" : {
  "productCode" : "productCode",
  "productId" : "productId",
  "productName" : "productName"
},
"brands" : [ "brands", "brands" ],
"start" : "start",
"nightsNumber" : 1,
"textOffer" : "textOffer",
"mandatoryExtension" : true,
"mainImage" : "mainImage",
"extensions" : [ {
  "code" : "code",
  "nights" : [ null, null ],
  "name" : "name",
  "id" : "id"
}, {
  "code" : "code",
  "nights" : [ null, null ],
  "name" : "name",
  "id" : "id"
} ],
"baseRate" : {
  "date" : "date",
  "amount" : 6.84685269835264,
  "currency" : "currency"
},
"nights" : [ {
  "minNights" : 5,
  "code" : "code",
```

```
"dateShiftType" : "START_DATE",
"baseNights" : "baseNights",
"itineraryDay" : 7,
"name" : "name",
"maxNights" : 2,
"defaultNights" : 5,
"exceptions" : [ {
  "beginDate" : "2000-01-23",
  "minNights" : 2,
  "baseNights" : "baseNights",
  "endDate" : "2000-01-23",
  "maxNights" : 4,
  "defaultNights" : 3
}, {
  "beginDate" : "2000-01-23",
  "minNights" : 2,
  "baseNights" : "baseNights",
  "endDate" : "2000-01-23",
  "maxNights" : 4,
  "defaultNights" : 3
} ],
"order" : 9
}, {
  "minNights" : 5,
  "code" : "code",
  "dateShiftType" : "START_DATE",
  "baseNights" : "baseNights",
  "itineraryDay" : 7,
  "name" : "name",
  "maxNights" : 2,
  "defaultNights" : 5,
  "exceptions" : [ {
    "beginDate" : "2000-01-23",
    "minNights" : 2,
    "baseNights" : "baseNights",
    "endDate" : "2000-01-23",
    "maxNights" : 4,
    "defaultNights" : 3
  }, {
    "beginDate" : "2000-01-23",
    "minNights" : 2,
    "baseNights" : "baseNights",
    "endDate" : "2000-01-23",
    "maxNights" : 4,
    "defaultNights" : 3
  } ],
  "order" : 9
} ],
"maxPaxBooking" : 1,
"days" : 7,
"category" : {
  "code" : "code",
  "parentCode" : "parentCode",
  "name" : "name",
  "descriptions" : [ {
    "language" : "language",
    "content" : "content"
  }, {
    "language" : "language",
    "content" : "content"
  } ]
},
"allowRQStatus" : true,
"brochureData" : {
  "code" : "code",
```

```
"name" : "name"
},
"productTags" : [ {
  "code" : "code",
  "name" : "name"
}, {
  "code" : "code",
  "name" : "name"
} ]
}, {
  "allZones" : [ null, null ],
  "urlName" : "urlName",
  "distributionType" : "ROOM",
  "release" : 0,
  "relatedProducts" : [ {
    "code" : "code",
    "name" : "name",
    "text" : "text",
    "type" : "RELATED",
    "url" : "url"
  }, {
    "code" : "code",
    "name" : "name",
    "text" : "text",
    "type" : "RELATED",
    "url" : "url"
  } ],
  "destination" : "destination",
  "distributionsAllowed" : [ {
    "childrenAgeTo" : 1,
    "children" : 1,
    "adults" : 7,
    "childrenAgeFrom" : 1
  }, {
    "childrenAgeTo" : 1,
    "children" : 1,
    "adults" : 7,
    "childrenAgeFrom" : 1
  } ],
  "includedServices" : [ {
    "name" : "name"
  }, {
    "name" : "name"
  } ],
  "minPaxBooking" : 6,
  "description" : "description",
  "language" : "es_ES",
  "calendarTags" : [ {
    "code" : "Offer",
    "color" : "#34sdfd",
    "description" : "Advance sale offer",
    "type" : "LEGEND",
    "priority" : 5
  }, {
    "code" : "Offer",
    "color" : "#34sdfd",
    "description" : "Advance sale offer",
    "type" : "LEGEND",
    "priority" : 5
  } ],
  "content" : {
    "images" : [ {
      "image" : "image",
      "type" : "MAIN_IMAGE"
    }, {
```

```
"image" : "image",
"type" : "MAIN_IMAGE"
} ],
"lodgings" : [ {
"city" : "city",
"location" : "location",
"details" : [ null, null ],
"category" : "category"
}, {
"city" : "city",
"location" : "location",
"details" : [ null, null ],
"category" : "category"
} ],
"notes" : [ {
"text" : "text",
"type" : "type"
}, {
"text" : "text",
"type" : "type"
} ],
"cities" : [ {
"code" : "code",
"night" : true
}, {
"code" : "code",
"night" : true
} ],
"references" : [ {
"code" : "code",
"name" : "name",
"description" : "description",
"extendedDescription" : "extendedDescription"
}, {
"code" : "code",
"name" : "name",
"description" : "description",
"extendedDescription" : "extendedDescription"
} ],
"icon" : "icon",
"itineraries" : [ {
"image" : "image",
"additionalInfo" : "additionalInfo",
"description" : "description",
"title" : "title",
"rangeLabel" : "rangeLabel",
"day" : 4
}, {
"image" : "image",
"additionalInfo" : "additionalInfo",
"description" : "description",
"title" : "title",
"rangeLabel" : "rangeLabel",
"day" : 4
} ],
"description" : "description",
"services" : [ {
"name" : "name",
"category" : "MAIN",
"type" : "INCLUDED"
}, {
"name" : "name",
"category" : "MAIN",
"type" : "INCLUDED"
} ]
} ]
```

```
},
"zone" : {
  "code" : "code",
  "parentCode" : "parentCode",
  "name" : "name"
},
"origins" : [ {
  "origin" : {
    "code" : "MAD",
    "locationUseType" : "DEPARTURE",
    "description" : "description",
    "locationType" : "AIRPORT",
    "transportTypes" : "FLIGHT"
  },
  "dates" : [ "", "" ],
  "type" : "MAIN"
}, {
  "origin" : {
    "code" : "MAD",
    "locationUseType" : "DEPARTURE",
    "description" : "description",
    "locationType" : "AIRPORT",
    "transportTypes" : "FLIGHT"
  },
  "dates" : [ "", "" ],
  "type" : "MAIN"
} ],
"end" : "end",
"lockedQuote" : false,
"transportTypes" : [ "FLIGHT", "FLIGHT" ],
"additionalInfos" : [ {
  "type" : "type"
}, {
  "type" : "type"
} ],
"product" : {
  "productCode" : "productCode",
  "productId" : "productId",
  "productName" : "productName"
},
"brands" : [ "brands", "brands" ],
"start" : "start",
"nightsNumber" : 1,
"textOffer" : "textOffer",
"mandatoryExtension" : true,
"mainImage" : "mainImage",
"extensions" : [ {
  "code" : "code",
  "nights" : [ null, null ],
  "name" : "name",
  "id" : "id"
}, {
  "code" : "code",
  "nights" : [ null, null ],
  "name" : "name",
  "id" : "id"
} ],
"baseRate" : {
  "date" : "date",
  "amount" : 6.84685269835264,
  "currency" : "currency"
},
"nights" : [ {
  "minNights" : 5,
  "code" : "code",
```

```
"dateShiftType" : "START_DATE",
"baseNights" : "baseNights",
"itineraryDay" : 7,
"name" : "name",
"maxNights" : 2,
"defaultNights" : 5,
"exceptions" : [ {
  "beginDate" : "2000-01-23",
  "minNights" : 2,
  "baseNights" : "baseNights",
  "endDate" : "2000-01-23",
  "maxNights" : 4,
  "defaultNights" : 3
}, {
  "beginDate" : "2000-01-23",
  "minNights" : 2,
  "baseNights" : "baseNights",
  "endDate" : "2000-01-23",
  "maxNights" : 4,
  "defaultNights" : 3
} ],
"order" : 9
}, {
  "minNights" : 5,
  "code" : "code",
  "dateShiftType" : "START_DATE",
  "baseNights" : "baseNights",
  "itineraryDay" : 7,
  "name" : "name",
  "maxNights" : 2,
  "defaultNights" : 5,
  "exceptions" : [ {
    "beginDate" : "2000-01-23",
    "minNights" : 2,
    "baseNights" : "baseNights",
    "endDate" : "2000-01-23",
    "maxNights" : 4,
    "defaultNights" : 3
  }, {
    "beginDate" : "2000-01-23",
    "minNights" : 2,
    "baseNights" : "baseNights",
    "endDate" : "2000-01-23",
    "maxNights" : 4,
    "defaultNights" : 3
  } ],
  "order" : 9
} ],
"maxPaxBooking" : 1,
"days" : 7,
"category" : {
  "code" : "code",
  "parentCode" : "parentCode",
  "name" : "name",
  "descriptions" : [ {
    "language" : "language",
    "content" : "content"
  }, {
    "language" : "language",
    "content" : "content"
  } ]
},
"allowRQStatus" : true,
"brochureData" : {
  "code" : "code",
```

```
    "name" : "name"
  },
  "productTags" : [ {
    "code" : "code",
    "name" : "name"
  }, {
    "code" : "code",
    "name" : "name"
  } ]
} ]
```

### Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- \*/\*

### Responses

200

Successful

400

Request with incorrect parameters [com.w2m.infrastructure.base.rest.model.error.ApiError](#)

401

Unauthorized

500

Service not available [com.w2m.infrastructure.base.rest.model.error.ApiError](#)

## ProductDestinations

GET /api/v1/product/destinations

Up

(getDestinations)

Get destinations

### Query parameters

**Brand (required)**

*Query Parameter* –

**language (optional)**

*Query Parameter* –

### Return type

array[[com.w2m.ttoo.product.rest.model.DestinationDTO](#)]

### Example data

Content-Type: application/json

```
[ {
  "code" : "code",
  "parentCode" : "parentCode",
  "name" : "name"
}, {
  "code" : "code",
  "parentCode" : "parentCode",
  "name" : "name"
} ]
```

### Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json
- \*/\*

## Responses

200

Successful

400

Request with incorrect parameters [com.w2m.infrastructure.base.rest.model.error.ApiError](#)

401

Unauthorized

500

Service not available [com.w2m.infrastructure.base.rest.model.error.ApiError](#)

---

## Models

[ [Jump to Methods](#) ]

### Table of Contents

1. [com.w2m.infrastructure.base.rest.model.error.ApiConstraintError](#)
2. [com.w2m.infrastructure.base.rest.model.error.ApiError](#)
3. [com.w2m.ttoo.product.rest.model.AdditionalInfoDTO](#)
4. [com.w2m.ttoo.product.rest.model.BrochureDTO](#)
5. [com.w2m.ttoo.product.rest.model.CalendarTagDTO](#)
6. [com.w2m.ttoo.product.rest.model.CategoryDTO](#)
7. [com.w2m.ttoo.product.rest.model.DescriptionDTO](#)
8. [com.w2m.ttoo.product.rest.model.DestinationDTO](#)
9. [com.w2m.ttoo.product.rest.model.DistributionAllowedDTO](#)
10. [com.w2m.ttoo.product.rest.model.FlightAdditionalInfoDTO](#)
11. [com.w2m.ttoo.product.rest.model.IncludedServiceDTO](#)
12. [com.w2m.ttoo.product.rest.model.NightExceptionDTO](#)
13. [com.w2m.ttoo.product.rest.model.OriginDTO](#)
14. [com.w2m.ttoo.product.rest.model.PackagePublicDTO](#)
15. [com.w2m.ttoo.product.rest.model.ProductDTO](#)
16. [com.w2m.ttoo.product.rest.model.ProductNightDTO](#)
17. [com.w2m.ttoo.product.rest.model.RelatedProductDTO](#)
18. [com.w2m.ttoo.product.rest.model.TagDTO](#)
19. [com.w2m.ttoo.product.rest.model.TourAdditionalInfoDTO](#)
20. [com.w2m.ttoo.product.rest.model.ZoneDTO](#)
21. [com.w2m.ttoo.product.rest.model.cms.ContentDTO](#)
22. [com.w2m.ttoo.product.rest.model.cms.ImageDTO](#)
23. [com.w2m.ttoo.product.rest.model.cms.ItineraryDTO](#)
24. [com.w2m.ttoo.product.rest.model.cms.LodgingDTO](#)
25. [com.w2m.ttoo.product.rest.model.cms.NoteDTO](#)
26. [com.w2m.ttoo.product.rest.model.cms.ReferenceDTO](#)
27. [com.w2m.ttoo.product.rest.model.cms.ServiceDTO](#)
28. [com.w2m.ttoo.product.rest.model.date.CalendarDateDTO](#)
29. [com.w2m.ttoo.product.rest.model.date.DateDTO](#)
30. [com.w2m.ttoo.product.rest.model.date.DateRangeDTO](#)
31. [com.w2m.ttoo.product.rest.model.date.RangeDTO](#)
32. [com.w2m.ttoo.product.rest.model.date.SpecialDateDTO](#)
33. [com.w2m.ttoo.product.rest.model.extension.ExtensionDTO](#)
34. [com.w2m.ttoo.product.rest.model.location.CityDTO](#)
35. [com.w2m.ttoo.product.rest.model.location.LocationDTO](#)
36. [com.w2m.ttoo.product.rest.model.rate.BaseRateDTO](#)
37. [com.w2m.ttoo.product.rest.model.request.ProductTTOORequestDTO](#)

[com.w2m.infrastructure.base.rest.model.error.ApiConstraintError](#)

[Up](#)

item (optional)

[String](#)

message (optional)

[String](#)

[com.w2m.infrastructure.base.rest.model.error.ApiError](#)

[Up](#)

**id (optional)**

*String*

**code (optional)**

*String*

**status (optional)**

*Integer* format: int32

**message (optional)**

*String*

**path (optional)**

*String*

**timestamp (optional)**

*Date* format: date-time

**constraintErrors (optional)**

*array[com.w2m.infrastructure.base.rest.model.error.ApiConstraintError]*

**com.w2m.ttoo.product.rest.model.AdditionalInfoDTO**

[Up](#)

additional product information

**type**

*String*

One of:

- [com.w2m.ttoo.product.rest.model.FlightAdditionalInfoDTO](#)
- [com.w2m.ttoo.product.rest.model.TourAdditionalInfoDTO](#)

**com.w2m.ttoo.product.rest.model.BrochureDTO**

[Up](#)

brochure data

**code (optional)**

*String* Code

**name (optional)**

*String* Name

**com.w2m.ttoo.product.rest.model.CalendarTagDTO**

[Up](#)

calendar tags. They are linked in the calendar dates ('origins.dates' node)

**code (optional)**

*String* Code

*example: Offer*

**color (optional)**

*String* Color code

*example: #34sdfd*

**description (optional)**

*String* Description

*example: Advance sale offer*

**type (optional)**

*String* Type

*example: LEGEND*

**priority (optional)**

*Integer* Priority format: int32

*example: 5*

**com.w2m.ttoo.product.rest.model.CategoryDTO**

[Up](#)

category

**code (optional)**

*String* Code

**name (optional)**

*String* Name

**parentCode (optional)**

*String* Parent code

**descriptions (optional)**

*array[com.w2m.ttoo.product.rest.model.DescriptionDTO]* descriptions

`com.w2m.ttoo.product.rest.model.DescriptionDTO`

[Up](#)

Details

**language (optional)**

*String*

**content (optional)**

*String*

`com.w2m.ttoo.product.rest.model.DestinationDTO`

[Up](#)

**code (optional)**

*String* Code

**name (optional)**

*String* Name

**parentCode (optional)**

*String* Parent code

`com.w2m.ttoo.product.rest.model.DistributionAllowedDTO`

[Up](#)

distributions allowed

**adults (optional)**

*Integer* adults format: int32

**children (optional)**

*Integer* children format: int32

**childrenAgeFrom (optional)**

*Integer* children age from format: int32

**childrenAgeTo (optional)**

*Integer* children age to format: int32

`com.w2m.ttoo.product.rest.model.FlightAdditionalInfoDTO`

[Up](#)

**nonstopFilter (optional)**

*Boolean* Nonstop filter

**checkedBagFilter (optional)**

*Boolean* Checked bag filter

**type**

*String*

`com.w2m.ttoo.product.rest.model.IncludedServiceDTO`

[Up](#)

included services

**name**

*String* Name

`com.w2m.ttoo.product.rest.model.NightExceptionDTO`

[Up](#)

night exceptions

**defaultNights (optional)**

Integer default nights format: int32

**baseNights (optional)**

String base nights

**minNights (optional)**

Integer min nights format: int32

**maxNights (optional)**

Integer max nights format: int32

**beginDate (optional)**

date begin date format: date

**endDate (optional)**

date end date format: date

**com.w2m.ttoo.product.rest.model.OriginDTO**

[Up](#)

origins

**origin (optional)**

com.w2m.ttoo.product.rest.model.location.LocationDTO

**type (optional)**

String Origin type

Enum:

MAIN

CONNECTION

**dates (optional)**

array[null] dates

*items oneOf:* com.w2m.ttoo.product.rest.model.date.DateDTO

com.w2m.ttoo.product.rest.model.date.CalendarDateDTO

com.w2m.ttoo.product.rest.model.date.DateRangeDTO

com.w2m.ttoo.product.rest.model.date.SpecialDateDTO

**com.w2m.ttoo.product.rest.model.PackagePublicDTO**

[Up](#)

**product (optional)**

com.w2m.ttoo.product.rest.model.ProductDTO

**zone (optional)**

com.w2m.ttoo.product.rest.model.ZoneDTO

**allZones (optional)**

array[com.w2m.ttoo.product.rest.model.ZoneDTO] zones

**destination (optional)**

String destination

**category (optional)**

com.w2m.ttoo.product.rest.model.CategoryDTO

**brands (optional)**

array[String] brands

**brochureData (optional)**

com.w2m.ttoo.product.rest.model.BrochureDTO

**start (optional)**

String start

**end (optional)**

String end

**release (optional)**

Integer release applied in calendar format: int32

**minPaxBooking (optional)**

Integer min pax booking format: int32

**maxPaxBooking (optional)**

Integer max pax booking format: int32

**origins (optional)**

array[com.w2m.ttoo.product.rest.model.OriginDTO] origins

**nights (optional)**

array[com.w2m.ttoo.product.rest.model.ProductNightDTO] nights

**distributionsAllowed (optional)**

array[com.w2m.ttoo.product.rest.model.DistributionAllowedDTO] distributions allowed

**baseRate (optional)**

com.w2m.ttoo.product.rest.model.rate.BaseRateDTO

**description (optional)**

String description

**productTags (optional)**

array[com.w2m.ttoo.product.rest.model.TagDTO] product tags

**urlName (optional)**

String URL name

**days (optional)**

Integer days format: int32

**nightsNumber (optional)**

Integer number of nights format: int32

**textOffer (optional)**

String text offer

**relatedProducts (optional)**

array[com.w2m.ttoo.product.rest.model.RelatedProductDTO] related products

**additionalInfos (optional)**

array[com.w2m.ttoo.product.rest.model.AdditionalInfoDTO] additional product information

**distributionType (optional)**

String distribution type

Enum:

ROOM

PASSENGER

**mainImage (optional)**

String image

**includedServices (optional)**

array[com.w2m.ttoo.product.rest.model.IncludedServiceDTO] included services

**content (optional)**

com.w2m.ttoo.product.rest.model.cms.ContentDTO

**mandatoryExtension (optional)**

Boolean mandatory extension

**lockedQuote (optional)**

Boolean locked quote

**calendarTags (optional)**

array[com.w2m.ttoo.product.rest.model.CalendarTagDTO] calendar tags. They are linked in the calendar dates ('origins.dates' node)

**transportTypes (optional)**

array[String] transport types

Enum:

**extensions (optional)**

array[com.w2m.ttoo.product.rest.model.extension.ExtensionDTO] products extensions

**language (optional)**

String Language: two letters for locale (ISO 639-1) + '\_' + two letters for country (ISO 3166-1)

example: es\_ES

**allowRQStatus (optional)**

Boolean allow waiting list (RQ) options

com.w2m.ttoo.product.rest.model.ProductDTO

[Up](#)

product

**productId (optional)**

*String* product id

**productCode (optional)**

*String* product code

**productName (optional)**

*String* product name

com.w2m.ttoo.product.rest.model.ProductNightDTO

[Up](#)

nights

**defaultNights (optional)**

*Integer* default nights format: int32

**baseNights (optional)**

*String* base nights

**minNights (optional)**

*Integer* min nights format: int32

**maxNights (optional)**

*Integer* max nights format: int32

**code (optional)**

*String* code

**name (optional)**

*String* name

**itineraryDay (optional)**

*Integer* itinerary day format: int32

**order (optional)**

*Integer* order format: int32

**exceptions (optional)**

*array[com.w2m.ttoo.product.rest.model.NightExceptionDTO]* night exceptions

**dateShiftType (optional)**

*String* date shift type. If default night configuration is changed for this component, this field indicates what date is modified

Enum:

START\_DATE

END\_DATE

com.w2m.ttoo.product.rest.model.RelatedProductDTO

[Up](#)

related products

**code (optional)**

*String* product code

**name (optional)**

*String* product name

**type (optional)**

*String* Relation type

Enum:

RELATED

COMPLEMENTARY

EQUIVALENT\_UX

EQUIVALENT\_WITH\_FLIGHT

UPGRADE\_QUALITY

UPGRADE\_ABSOLUT

KIDS\_FRIENDLY

KIDS\_AND\_ME

GROUPED\_PRODUCTS

**text (optional)**

*String* text

**url (optional)**

*String* url

**com.w2m.ttoo.product.rest.model.TagDTO**

[Up](#)

product tags

**code**

*String* Code

**name**

*String* Name

**com.w2m.ttoo.product.rest.model.TourAdditionalInfoDTO**

[Up](#)

**from (optional)**

*com.w2m.ttoo.product.rest.model.location.LocationDTO*

**to (optional)**

*com.w2m.ttoo.product.rest.model.location.LocationDTO*

**type**

*String*

**com.w2m.ttoo.product.rest.model.ZoneDTO**

[Up](#)

zones

**code (optional)**

*String* Code

**name (optional)**

*String* Name

**parentCode (optional)**

*String* Parent code

**com.w2m.ttoo.product.rest.model.cms.ContentDTO**

[Up](#)

content

**description (optional)**

*String* Package description

**icon (optional)**

*String* Icon

**services (optional)**

*array[com.w2m.ttoo.product.rest.model.cms.ServiceDTO]* Services

**itineraries (optional)**

*array[com.w2m.ttoo.product.rest.model.cms.ItineraryDTO]* Itineraries

**images (optional)**

*array[com.w2m.ttoo.product.rest.model.cms.ImageDTO]* Images

**lodgings (optional)**

*array[com.w2m.ttoo.product.rest.model.cms.LodgingDTO]* Lodgings

**cities (optional)**

*array[com.w2m.ttoo.product.rest.model.location.CityDTO]* Cities

**references (optional)**

*array[com.w2m.ttoo.product.rest.model.cms.ReferenceDTO]* Content references

**notes (optional)**

*array[com.w2m.ttoo.product.rest.model.cms.NoteDTO]* Content notes

com.w2m.tt00.product.rest.model.cms.ImageDTO

[Up](#)

Images

**image (optional)**

*String* Image

**type (optional)**

*String* Image Type

Enum:

MAIN\_IMAGE

OTHER

com.w2m.tt00.product.rest.model.cms.ItineraryDTO

[Up](#)

Itineraries

**day (optional)**

*Integer* Day Number format: int32

**title (optional)**

*String* Title

**description (optional)**

*String* Description

**additionalInfo (optional)**

*String* Additional Info

**image (optional)**

*String* Image

**rangeLabel (optional)**

*String* Range label

com.w2m.tt00.product.rest.model.cms.LodgingDTO

[Up](#)

Lodgings

**category (optional)**

*String* Category

**city (optional)**

*String* City

**location (optional)**

*String* Location

**details (optional)**

*array[com.w2m.tt00.product.rest.model.DescriptionDTO]* Details

com.w2m.tt00.product.rest.model.cms.NoteDTO

[Up](#)

Content notes

**type (optional)**

*String* Note type

**text (optional)**

*String* Text

com.w2m.tt00.product.rest.model.cms.ReferenceDTO

[Up](#)

Content references

**code (optional)**

*String* External reference code

**name (optional)**

*String* Name

**description (optional)**

String Description

**extendedDescription (optional)**

String Extended description

`com.w2m.ttoo.product.rest.model.cms.ServiceDTO`

[Up](#)

Services

**name**

String Name

**category (optional)**

String Category

Enum:

MAIN

EXPERIENCE

**type (optional)**

String Type

Enum:

INCLUDED

EXCLUDED

OPTIONAL

`com.w2m.ttoo.product.rest.model.date.CalendarDateDTO`

[Up](#)

**date (optional)**

date Date format: date

**amount (optional)**

BigDecimal Amount

**defaultNightsStatus (optional)**

String Default nights status

Enum:

OK

LP

RQ

NA

**tags (optional)**

array[String] Calendar tags codes. They add special features to the date.Full information can be found in 'calendarTags' node

*example: Offer*

**seats (optional)**

Integer Available seats format: int32

**status (optional)**

String status

Enum:

OK

LP

RQ

NA

**type**

String

`com.w2m.ttoo.product.rest.model.date.DateDTO`

[Up](#)

dates

**status (optional)**

String status

Enum:

OK

LP

RQ

NA

**type**  
*String*

**com.w2m.ttoo.product.rest.model.date.DateRangeDTO**

Up

**range (optional)**  
*com.w2m.ttoo.product.rest.model.date.RangeDTO*

**status (optional)**  
*String* status

Enum:  
OK  
LP  
RQ  
NA

**type**  
*String*

**com.w2m.ttoo.product.rest.model.date.RangeDTO**

Up

date range

**from (optional)**  
*date* date from format: date

**to (optional)**  
*date* date to format: date

**com.w2m.ttoo.product.rest.model.date.SpecialDateDTO**

Up

**date (optional)**  
*date* date format: date

**amount (optional)**  
*BigDecimal* amount

**status (optional)**  
*String* status

Enum:  
OK  
LP  
RQ  
NA

**type**  
*String*

**com.w2m.ttoo.product.rest.model.extension.ExtensionDTO**

Up

products extensions

**id (optional)**  
*String* id

**code (optional)**  
*String* code

**name (optional)**  
*String* name

**nights (optional)**  
*array[com.w2m.ttoo.product.rest.model.ProductNightDTO]* nights

**com.w2m.ttoo.product.rest.model.location.CityDTO**

Up

Cities

**code (optional)**

*String* Code

**night (optional)**

*Boolean* Night in city

`com.w2m.tt00.product.rest.model.location.LocationDTO`

[Up](#)

Tour last location

**code (optional)**

*String* Location code  
*example: MAD*

**description (optional)**

*String* Description

**locationType**

*String* Location type

Enum:

*AIRPORT*

*LODGING*

*POINT*

**locationUseType (optional)**

*String* Location use

Enum:

*DEPARTURE*

*ARRIVAL*

**transportTypes (optional)**

*array[String]* Transport types

Enum:

*example: FLIGHT*

`com.w2m.tt00.product.rest.model.rate.BaseRateDTO`

[Up](#)

base rate

**amount (optional)**

*BigDecimal* amount

**origin (optional)**

*com.w2m.tt00.product.rest.model.location.LocationDTO*

**date (optional)**

*String* date

**currency (optional)**

*String* currency

`com.w2m.tt00.product.rest.model.request.ProductTT00RequestDTO`

[Up](#)

**brand**

*String* The TT00

**productCode (optional)**

*String* Code of the product : do not report with productId (only one)

**productId (optional)**

*String* Id of the product: do not report with productCode (only one)

**zone (optional)**

*String* Code of the zone

**transactionId (optional)**

*String* Transaction Id

**withContents (optional)**

*Boolean* Display contents field

**currencyCode (optional)**

*String* Currency code. Must be a ISO 4217 code composed by three characters. If product does not have configured that currency, error will be throw

*example: USD*

**language (optional)**

*String* Language: two letters for locale (ISO 639-1) + '\_' + two letters for country (ISO 3166-1)

*example: es\_ES*